

# SAFETY DATA SHEET



Version 17.3 replaces Version 17.2  
Revision date: 22.08.2018  
According to (EU) No. 2015/830

## SECTION 1

### IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

- 1.1 Product identifier:** ZYGLO® ZE-4B
- 1.2 Relevant identified uses of the mixture and uses advised against:**  
**Relevant identified uses:** Lipophilic emulsifier used in fluorescent penetrant inspection.  
**Uses advised against:** This product is not recommended for any use other than the identified uses above.
- 1.3 Details of the supplier of the safety data sheet**  
**Manufacturer:** Magnaflux® (A Division of ITW Ltd)  
**Address:** Faraday Road, South Dorcan Industrial Estate, Swindon, UK  
**Postcode:** SN3 5HE  
**Telephone/fax number:** Telephone: +44 (0)1793 524566  
Fax: +44 (0)1793 490459  
Web: [www.eu.magnaflux.com](http://www.eu.magnaflux.com)  
**Email address of competent person responsible for SDS:** support.eu@magnaflux.com  
**National contact:** None appointed.
- 1.4 Emergency telephone number:** DURING OFFICE HOURS, CALL  
T: +44 (0)1793 524566 (English only)  
**Opening hours:** Office hours (GMT) Monday - Thursday 8am - 5pm, Friday 8am - 4pm  
OUT OF OFFICE HOURS, CALL  
T: +44(0)203 394 9866

## SECTION 2

### HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**Classification according to Regulation (EC) No 1272/2008 (CLP):** **Physical and Chemical Hazard:** None  
**Health Hazard:** Eye Dam. 1 H318  
Skin Irrit. 2 H315  
**Environmental Hazard:** Aquatic Chronic 3 H412  
**Additional information:** No additional information.

For full text of hazard statements and EU hazard statements see SECTION 16.

- 2.2 Label Elements:** Labelling according to regulation (EC) No 1272/2008 [CLP]  
**Hazard Pictograms:**



**Signal Word:** Danger

# SAFETY DATA SHEET

## Hazard Statement(s):

H315: Causes skin irritation.  
 H318: Causes serious eye damage.  
 H412: Harmful to aquatic life with long lasting effects.

## Precautionary Statement(s):

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.  
 P310: Immediately call a POISON CENTER or doctor/physician.  
 P302+P352: IF ON SKIN: Wash with soap and water.  
 P332+P313: If skin irritation occurs: Get medical advice/attention.  
 P273: Avoid release to the environment.  
 P264: Wash thoroughly after handling  
 P362+P364: Take off contaminated clothing and wash it before reuse.  
 None

## Supplementary Precautionary Statement(s):

## Supplementary Hazard Information (EU) Hazard Determining Component(s)

Alcohol Alkoxylate  
 Terpeneol

**2.3 Other hazards:**  
 Contaminated surfaces may be slippery.

## SECTION 3

## COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Chemical name	CAS Number	EC number	REACH registration number	% Weight	Classification according to Regulation (EC) number 1272/2008 [CLP]	Additional Information
Alcohols C11-C15 Secondary Ethoxylated	68131-40-8	-	-	5 - 25	Acute Tox 4 H302 Acute Tox 4 H332 Skin Irrit. 2 H315 Eye Dam. 1 H318	-
Terpineol	8000-41-7	232-268-1	01-2119553062-49	< 15	Eye Irrit. 2 H319 Skin Irrit. 2 H315	DNEL
alcohols C12-C15, branched and linear, ethoxylated, propoxylated.	120313-48-6	-	-	< 10	Eye Dam 1 H318 Aquatic Chronic 2 H411	-
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylhaptyl) ether	166736-08-9	-	-	< 5	Acute Tox 4 H302 Eye Dam. 1 H318	-
Oleic acid monoisopropanolamide	111-05-7	-	-	< 5	Eye Dam 1 H318 Skin Irrit. 2 H315	-

Note: Hazard statement(s) in this section apply only to raw materials, not necessarily to finished products.

\*See Section 16 for hazard statement(s) text in full.

# SAFETY DATA SHEET

## SECTION 4

## FIRST AID MEASURES

- 4.1 Description of first aid measures:**
- General notes:** If symptoms persist, seek medical attention. Show this safety data sheet to the doctor in attendance.
- Following inhalation:** Remove to fresh air. Keep at rest. If not breathing give artificial respiration. Seek medical attention if symptoms occur.
- Following skin contact:** Flush with water, use soap if available. Contaminated clothing should be washed before re-use. If skin irritation or rash occurs: get medical advice/attention.
- Following eye contact:** Flush eyes with large amounts of water for at least 15 minutes. Check for and remove any contact lenses if easy to do. Continue rinsing. Seek medical attention immediately.
- Following ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention immediately.
- Self-protection of the first aider:** No action shall be taken involving any personal risk or without suitable training. If it is suspected that the mixture is still present, wear appropriate personal protective equipment.
- 4.2 Most important symptoms, both acute and delayed:**  
Risk of serious damage to eyes. No delayed effects known.
- 4.3 Indication of any immediate medical attention and special treatment needed:**  
Eye wash bottle must be readily available when product is in use.

## SECTION 5

## FIREFIGHTING MEASURES

- 5.1 Extinguishing media:**
- Suitable extinguishing media:** Carbon dioxide, foam, dry chemical, water fog or spray.
- Unsuitable extinguishing media:** Do not use water jet.
- 5.2 Special hazards arising from the substance or mixture:** Evacuate immediate area. If possible keep unaffected containers cool with water spray.
- Hazardous combustion products:** Smoke, soot and oxides of carbon. Burning vapour may give off toxic fumes.
- 5.3 Advice for fire-fighter:** Self contained breathing apparatus and full protective clothing must be worn if necessary. Contaminated extinguishing water must be disposed of in accordance with official regulations.

# SAFETY DATA SHEET

## SECTION 6

## ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures:**  
Suitable protective equipment (see Section 8) should be worn to prevent any contamination of skin, eyes and personal clothing.
- For non-emergency personnel:** Remove ignition sources. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Vapours are likely to accumulate in low areas.
- For emergency responders:** Keep unnecessary people at a safe distance. Remove ignition sources. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Vapours are likely to accumulate in low areas.
- 6.2 Environmental precautions:**  
Prevent liquid from entering drains, sewers and watercourses. Notify the Environment Agency or water authorities if a major spillage occurs. Prevent product from contaminating soil.
- 6.3 Methods and material for containment and cleaning up:**  
Eliminate sources of ignition. Take measures to prevent the build-up of electrostatic charge.
- For containment:** Contain spilled liquid with sand or earth. Mop up or absorb onto an inert absorbent, (e.g. sand, earth, diatomaceous earth, vermiculite). Place in a container for disposal according to local/national regulations.
- For cleaning up:** Large spills should be pumped into containers pending disposal. Rinse site with copious amounts of water, which should not be allowed into drains, sewers or watercourses.
- Other information:** Spilled liquid presents a slip hazard.
- 6.4 Reference to other sections:**  
For Personal Protective Equipment see Section 8. For disposal information see Section 13.

## SECTION 7

## HANDLING & STORAGE

- 7.1 Precautions for safer handling:**
- Protective Measures:** Wear suitable protective clothing such as chemical resistant gloves, apron and goggles/face mask to protect from splashes. Ensure adequate exhaust ventilation when in use.
- Measures to prevent fire:** Avoid contact with skin and eyes. Do not breathe the product spray or mist. Keep away from sources of ignition. Take measures to prevent the build-up of electrostatic charge.
- Advice on general occupational hygiene:** Wash thoroughly after handling.

# SAFETY DATA SHEET

- 7.2 Conditions for safe storage, including any incompatibilities:**
- Technical measures and storage conditions:** Store in a cool dry area away from heat and sources of ignition.
- Packaging materials:** Store in original container. Keep containers closed when not in use.
- Requirements for storage rooms and vessels:** Recommended storage temperature 10 °C to 30 °C.
- Further information on storage conditions:** Keep containers out of direct sunlight. Rotate stock and check regularly for damaged items.
- 7.3 Specific end use(s):**
- Recommendations:** Use only for Non Destructive Testing (NDT) applications.
- Industrial sector specific solutions:** See product data sheet for further information.

## SECTION 8

## EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1 Control parameters:**
- Occupational exposure limit values:** Occupational exposure figures have been set for some of the components of this preparation based on GESTIS International Limit Values or manufacturers' recommendation.

Contains no substances with occupational exposure limit values.

### Derived No Effect Level

Chemical Name	End User	Exposure Route	Exposure Time	Effects	DNEL
Terpineol	Worker	Dermal	Long term	Systemic	1.17 mg/kg bw/day
Terpineol	Worker	Inhalation	Long term	Systemic	5.8 mg/m <sup>3</sup>

**Note:** The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accordance with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs may be recommended by an individual company, a government regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits (SCOEL) or the American Conference of Governmental Industrial Hygienists (ACGIH). OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). While also considered to be protective of health, OELs are derived by a process different from that of REACH.

### Predicted No Effect Concentration

PNEC	Terpineol
Water - Fresh Water	0.062 g/l
Water - Marine Water	0.0062 g/l
Water - Intermittent release	No data available
Sediment Fresh Water	0.442 mg/kg d.w.
Sediment Marine Water	0.044 mg/kg d.w.
Soil	0.052 mg/kg d.w.
Sewage Treatment Plant	2.57 mg/l

# SAFETY DATA SHEET

<b>8.2</b>	<b>Exposure controls:</b> Concentrations of product vapours and mists in the working atmosphere must be kept as low as is reasonably practicable. Exposure should be minimised by the use of appropriate containment, engineering control and ventilation measures. Where this is not possible, personal protective equipment should be worn as indicated below where appropriate. <b>Appropriate engineering controls:</b>	Provide eye wash station.
	<b>Personal protection equipment:</b> <b>Eye and face protection:</b>	Safety glasses with side-shields conforming to EN166.
	<b>Skin protection - hand:</b>	Protective gloves conforming to EN374-3. Use chemical resistant gloves recommended by glove manufacturer as being suitable for mineral oils if hand exposure is unavoidable. Protective gloves made of nitrile rubber are suitable, although other types may be more suitable in other circumstances. For prolonged exposure, recommended gloves with protective index 6, > 480 minutes permeation time according to EN374. As the product is a preparation, consult the glove manufacturer for exact breakthrough time. Glove manufacturer's directions for use should be observed.
	<b>Skin protection – other:</b>	Wear chemical resistant overalls if skin contact is likely. The type of protective equipment must be selected according to the concentration and amount of dangerous substance at the specific workplace.
	<b>Respiratory protection:</b>	Use a respirator with appropriate canister type filter cartridge if spraying in confined or unventilated areas. Use respiratory equipment with gas filter type A2P3 (EN141). For higher level protection use type ABEK-P3 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under CEN standards.
	<b>Thermal hazards:</b>	Not applicable.
	<b>Environmental exposure controls:</b>	Avoid any release to the environment.

## SECTION 9

## PHYSICAL & CHEMICAL PROPERTIES

<b>9.1</b>	<b>Information on basic physical and chemical properties:</b>	
	<b>Appearance:</b>	Red liquid.
	<b>Odour:</b>	Mild pine.
	<b>Odour threshold:</b>	No data available.
	<b>pH:</b>	Neutral.
	<b>Melting point/freezing point:</b>	No data available.
	<b>Initial boiling point and boiling range:</b>	230 °C
	<b>Flash point (PMCC):</b>	93 °C (minimum)
	<b>Evaporation rate (BuAC = 100):</b>	< 0.1
	<b>Flammability (solid, gas) (Limits in air):</b>	No data available.
	<b>Upper/lower flammability or explosive limits:</b>	1 – 6% (Vol%)

# SAFETY DATA SHEET

Vapour pressure:	< 0.5 mm Hg @ 20 °C
Vapour density (Air = 1):	> 1
Relative density:	0.93 g/cm <sup>3</sup>
Solubility:	Emulsifies.
Partition coefficient: n-octanol/water:	No data available.
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	No data available.
Viscosity (ASTM D445):	25 mm <sup>2</sup> /s @ 38 °C
Explosive properties:	No data available.
Oxidising properties:	No data available.

Note: properties relate to the bulk product only unless otherwise stated.

**9.2 Other information:**  
No other information.

## SECTION 10 STABILITY & REACTIVITY

<b>10.1</b>	<b>Reactivity:</b>	No data available.
<b>10.2</b>	<b>Chemical stability</b>	Stable under normal conditions of use and applications.
<b>10.3</b>	<b>Possibility of hazardous reactions:</b>	No data available.
<b>10.4</b>	<b>Conditions to avoid:</b>	Keep away from sources of ignition, hot surfaces and direct sunlight.
<b>10.5</b>	<b>Incompatible materials:</b>	Strong oxidising agents. Strong acids.
<b>10.6</b>	<b>Hazardous decomposition materials:</b>	None under normal conditions of storage and use. Smoke soot and oxides of carbon on combustion.

## SECTION 11 TOXICOLOGICAL INFORMATION

<b>11.1</b>	<b>Information on toxicological effects: based on data for component materials.</b>	
	<b>Acute toxicity - oral:</b>	Based on the available data the classification criteria are not met.
	<b>Acute toxicity – dermal:</b>	Based on the available data the classification criteria are not met.
	<b>Acute toxicity – inhalation:</b>	Based on the available data the classification criteria are not met.
	<b>Skin corrosion/irritation:</b>	Skin Irrit. 2, H315: Causes skin irritation.
	<b>Serious eye damage/irritation:</b>	Eye Dam. 1, H318: Causes serious eye damage.
	<b>Respiratory sensitisation:</b>	Based on the available data the classification criteria are not met.
	<b>Skin sensitisation:</b>	Based on the available data the classification criteria are not met.
	<b>Germ cell mutagenicity:</b>	Ingredients in this mixture are not classified mutagenic according to current regulations.
	<b>Carcinogenicity:</b>	Ingredients in this mixture are not classified as carcinogenic according to current regulations.
	<b>Reproductive toxicity:</b>	Based on individual components, this preparation is not expected to show reproductive toxicity.
	<b>STOT single exposure:</b>	Data lacking.

# SAFETY DATA SHEET

**STOT repeated exposure:** Data lacking.  
**Aspiration hazard:** Data lacking.

**Information on likely Routes of Exposure and Potential Health Effects:**

**Inhalation:** Inhalation of high product concentrations when spraying can be irritating to the respiratory tract. No evidence of sensitisation potential.

**Ingestion:** Ingestion may cause irritation of the mouth, throat and digestive tract. Small amounts of product aspirated into the respiratory system during ingestion or from vomiting may cause bronchopneumonia or pulmonary edema.

**Eye contact:** Risk of serious damage to eyes.

**Skin contact:** Causes skin irritation. No evidence of sensitisation potential.

**Toxicity Test Results:** based on data for component materials, where available.

CHEMICAL NAME	ACUTE TOXICITY	TEST	RESULT
Alcohols C11-15 Secondary Ethoxylated	Acute Toxicity - oral	LD50 (rat)	515 mg/kg
Alcohols C11-15 Secondary Ethoxylated	Acute Toxicity - dermal	LD50 (rat)	> 14000 mg/kg
Alcohols C11-15 Secondary Ethoxylated	Acute Toxicity - inhalation	LC50 (rat)	1.06 mg/l
Terpineol	Acute Toxicity - oral	LD50 (rat)	> 2000 mg/kg - OECD 401
Terpineol	Acute Toxicity - dermal	LD50 (rabbit)	> 2000 mg/kg - OECD 402
Terpineol	Acute Toxicity - inhalation	Rat, 4h	No mortality observed - OECD 403
alcohols C12-C15, branched and linear, ethoxylated, propoxylated	Acute Toxicity - oral	LD50 (rat)	2000 - 5000 mg/kg
alcohols C12-C15, branched and linear, ethoxylated, propoxylated	Acute Toxicity - dermal	-	Not determined
alcohols C12-C15, branched and linear, ethoxylated, propoxylated	Acute Toxicity - inhalation	-	Not determined
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylhaptyl) ether	Acute Toxicity - oral	LD50 (rat)	> 300 - 2000 mg/kg
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylhaptyl) ether	Acute Toxicity - dermal	LD50 (rabbit)	> 2000 mg/kg
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylhaptyl) ether	Acute Toxicity - inhalation	-	Not determined

**Other Information:**

**No other information.**

# SAFETY DATA SHEET

## SECTION 12

## ECOLOGICAL INFORMATION

Based on data for component materials

### 12.1 Toxicity:

Chemical Name	Ecotoxicity	Species	Test	Time	Result
Alcohols C11-C15 Secondary Ethoxylated	Fish	Pimephales promelas	LC50	96h	3.2 - 3.6 mg/l
Alcohols C11-C15 Secondary Ethoxylated	Aquatic Invertebrates	Daphnia magna	EC50	48h	7.3 mg/l
Terpineol	Fish	Danio rerio	LC50	96h	62 - 80 mg/l - OECD 203
Terpineol	Fish	Danio rerio	NOEC	96h	62 mg/l - OECD 203
Terpineol	Aquatic Invertebrates	Daphnia magna	NOEC	48h	40 mg/l - OECD 202
Terpineol	Aquatic Invertebrates	Daphnia magna	EC50	48h	73 mg/l - OECD 202
Terpineol	Aquatic Invertebrates	Daphnia magna	LC50	48h	73 mg/l - OECD 202
Terpineol	Aquatic Plants	Pseudokirchneriella subcapitata	EC50	72h	17 mg/l - OECD 201
Terpineol	Aquatic Plants	Pseudokirchneriella subcapitata	NOEC	72h	3.9 mg/l - OECD 201
alcohols C12-C15, branched and linear, ethoxylated, propoxylated	Fish	Leuciscus idus	LC50	96h	1 - 10 mg/l
alcohols C12-C15, branched and linear, ethoxylated, propoxylated	Microorganisms	Activated Sludge	EC10	-	> 1000 mg/l (DEV-L2)
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	Fish	Brachydanio rerio	LC50	96h	> 10 - 100 mg/l - OECD 203
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	Aquatic Invertebrates	Daphnia magna	EC50	48h	> 1 - 10 mg/l - OECD 202, part 1

### 12.2 Persistence and degradability:

**Alcohols, C11 – C15 – secondary, ethoxylated** – readily biodegradable  
**Terpineol** – readily biodegradable  
**Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated** - moderately biodegradable.  
**Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether** – readily biodegradable  
**Oleic acid monoisopropanolamide** – this surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### 12.3 Bioaccumulative potential: Partition coefficient: n-octanol/water (log Kow): Bioconcentration factor (BCF):

Not expected to be bioaccumulating.  
**Terpineol** - logKow = 2.78 (20°C)  
**Terpineol** – BCF = 36.5

### 12.4 Mobility in soil:

This product will not evaporate into the atmosphere from the water surface.

# SAFETY DATA SHEET

- 12.5 **Results of PBT and vPvB assessment:** This mixture does not contain any substances that are assessed to be a PBT or vPvB.
- 12.6 **Other adverse effects:** No data available.

## SECTION 13 DISPOSAL CONSIDERATIONS

- 13.1 **Waste treatment methods:**  
Dispose of waste and residues in accordance with local authority requirements. Seek the advice of an approved waste disposal contractor for disposal at a licensed facility in accordance with national legislation.
- Product/packing disposal:** Empty containers may contain residues. Do NOT remove labels.
- Waste codes/waste designations according to LoW:** Hazardous waste. Waste code not assigned.

NOTE: Waste codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste code(s).

- Waste treatment – relevant information:** Dispose of waste and residues in accordance with local authority requirements. Seek the advice of an approved waste disposal contractor for disposal at a licensed facility in accordance with national legislation
- Sewage disposal – relevant information:** Do not empty down the drain.
- Other disposal recommendations:** Use a licensed waste contractor.

## SECTION 14 TRANSPORT INFORMATION

- 14.1 **UN number:** ADR/RID: -  
IMDG: -  
IATA: -
- 14.2 **UN proper shipping name:** ADR/RID: Not dangerous goods.  
IMDG: Not dangerous goods.  
IATA: Not dangerous goods.
- 14.3 **Transport hazard class(es):** ADR/RID: -  
IMDG: -  
IATA: -
- 14.4 **Packing group:** ADR/RID: -  
IMDG: -  
IATA: -
- 14.5 **Environmental hazards:** ADR/RID: -  
IMDG: -  
IATA: -
- 14.6 **Special precautions for user:**  
Not applicable.
- 14.7 **Transport in bulk according to Annex II of Marpol 73/78 and the IBC code:**  
Not applicable.

# SAFETY DATA SHEET

## SECTION 15

## REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations:

This data sheet complies with the requirements of Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures.

Safety data sheet as required by EU Regulations 1907/2006 and REACH Annex II

Amendment (EU) No. 2015/830.

Regulation (EC) No 648/2004 on detergents.

**Information according to 2013/10/EU and 2008/47/EC amendment of the aerosol directive 75/324/EEC.**

Not applicable - this product is not an aerosol.

**National regulations (Germany):**

**Wassergefährdungsklasse (water hazard class):**

WGK2 - Hazard to waters.

**TechnischeAnleitungLuft (TA-Luft):**

Class 5.2.5 Organic Substances, except dusts

### 15.2 Chemical safety assessment:

No chemical safety assessment has been carried out for this mixture by the supplier.

## SECTION 16

## OTHER INFORMATION

### (i) Indication of changes:

Version 17.3 updated in Section 1.3.

Vertical lines on the left hand side indicate an amendment from the previous version.

### (ii) Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road (Accord européen relatif au transport international des marchandises Dangereuses par Route)
CAS No.	Chemical Abstracts Service number
CEN	European Committee for Standardisation
CLP	Classification, Labelling Packaging Regulation; Regulation (EC) No 1272/2008
ECHA	European Chemicals Agency
EC50	Half Maximal Effective Concentration
EC number	EINECS and ELINCS number
EINECS	European Inventory of Existing Commercial Substances
ELINCS	European List of notified Chemical Substances
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population
MPI	Magnetic Particle Inspection
NDT	Non-Destructive Testing
OEL	Occupational Exposure Limit
PBT	Persistent, Bioaccumulative and Toxic Substance
PMCC	Pensky-Martens closed cup method
PPE	Personal Protection Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation EC (No) 1907/2006

# SAFETY DATA SHEET

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail (Reglement International concernant le transport des marchandises Dangereuses par chemin de fer)
SDS	Safety Data Sheet
STOT RE	Specific Target Organ Toxicity, Repeat Exposure
STOT SE	Specific Target Organ Toxicity, Single Exposure
TA-Luft	Technical Instructions on Air Quality Control (Technische Anleitung zur Reinhaltung der Luft)
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limit
WGK	German Water Hazard Class (Wassergefährdungsklasse)

**(iii) Key literature and sources of data:**

- Supplier's safety data sheets for components listed in Section 3.
- European Chemicals Agency, <http://echa.europa.eu/>
- GESTIS International Limit Values Database, [http://limitvalue.ifa.dguv.de/Webform\\_gw.aspx](http://limitvalue.ifa.dguv.de/Webform_gw.aspx)
- Occupational Exposure Limits EH40/2005.
- Commission regulation (EU) 2015/830.
- Control of Substances Hazardous to Health Regulations 2002.
- Hazardous waste regulations 2005.
- Health & Safety at Work Act 1974.
- Regulation (EC) No. 1907/2006 (REACH).
- Regulation (EC) No. 1272/2008 (CLP).

**(iv) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP):**

Classification according to Regulation (EC) number 1272/2008 [CLP]	Classification Procedure
Aquatic Chronic 3	Calculation
Eye Dam. 1	Calculation
Skin Irrit. 2	Calculation

**(v) Hazard statements (number and full text):**

H302: Harmful if swallowed.  
 H312: Harmful in contact with skin.  
 H332: Harmful if inhaled.  
 H315: Causes skin irritation.  
 H318: Causes serious eye damage.  
 H319: Causes serious eye irritation.  
 H411: Toxic to aquatic life with long lasting effects.  
 H412: Harmful to aquatic life with long lasting effects.

**Hazard Class and Category Code (full text):**

Acute Tox. 4: Acute toxicity  
 Aquatic Chronic 2: Hazardous to the aquatic environment  
 Aquatic Chronic 3: Hazardous to the aquatic environment  
 Eye Dam. 1: Serious eye damage/eye irritation  
 Eye Irrit. 2: Serious eye damage/eye irritation  
 Skin Irrit. 2: Skin corrosion/irritation

**Relevant precautionary statements (number and full text):**

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.  
 P310: Immediately call a POISON CENTER or doctor/physician.  
 P302+P352: IF ON SKIN: Wash with soap and water.  
 P332+P313: If skin irritation occurs: Get medical advice/attention.  
 P273: Avoid release to the environment.  
 P264: Wash thoroughly after handling.  
 P362+P364: Take off contaminated clothing and wash it before reuse.

# SAFETY DATA SHEET

- (vi) **Training advice:**  
Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene. Chemical hazard risk assessment. Provide adequate information, instruction and training to operators.

## DISCLAIMER

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391/EEC and 98/24/EC amended by Directive 2014/27/EU.

<b>Revision summary:</b>	<b>Revision Comments</b>	This SDS is valid from the Revision Date. If you require a SDS for the product manufactured before the Revision Date please contact us at <a href="mailto:support.eu@magnaflux.com">support.eu@magnaflux.com</a>
	<b>Revision Date</b> <b>Version</b>	
		22.08.2018 17.3